ease print or type. (Form design	gned for use on elite (12-pitch) typewriter.)		i sa jakasa		4556191		n Approved. OMB No. 2050-003
UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator ID Number VAAD9880738546		3. Emergency Response See Block 14	nelow		Tracking N	
5. Generator's Name and Maili Alaskan Coppet 3200 Sixth Aver Seattle V/A 98 Generator's Phone:	r VVorks nue South Phone: 124 206-382-		enerator's Site Address	(if different tha			
Transporter 1 Company Nan Transporter 2 Company Nan	ne				U.S. EPA ID N	0001	
8. Designated Facility Name ar V-Vorid Resource \$113 VVest She Tolleson, AZ 83 Facility's Phone:	es Company rman Street Phone:	3 6 1 6 6			U.S. EPAID N	lumber)8073	5500
	ion (including Proper Shipping Name, Hazard Class, IE	Number,	10. Contain No.	ers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
<u> </u>	7, Hazardous waste, solid, n.o.: l		331		0/033		F008
3.							
14. Special Handling Instruction P.O. + VI 15. GENERATOR'S/OFFERO		ents of this consignment are	Call	IMFOTE	by the proper shi	800-53 Vortd f	5-5053 Resources Company
Exporter, I certify that the	contents of this consignment conform to the terms of the imization statement identified in 40 CFR 262.27(a) (if	ne attached EPA Acknowler	igment of Consent. ator) or (b) (if I am a smal			if export sn	pment and I am the Primary Month Day Year
16. International Shipments Transporter signature (for expo		Export from U.S	. Port of entr			int	<u> /2 /5 //</u>
17. Transporter Acknowledgmen Transporter 1 Printed/Typed Nai Transporter 2 Printed/Typed Nai	me	Signa Signa					Month Day Year /2 1 \leq // Month Day Year
18. Discrepancy 18a. Discrepancy Indication Spa	ace Quantity	Туре	Residue Manifest Reference	Number:	Partial Reje	ection	Full Rejection
18b. Alternate Facility (or Gener Facility's Phone: 18c. Signature of Alternate Facil					U.S. EPAID N	umber	Month Day Year
1. -1010	anagement Method Codes (i.e., codes for hazardous v	3.			4.		
20. Designated Facility Owner o	r Operator: Certification of receipt of hazardous materi	ials covered by the manifes	May.	18a			Month Day Year



Ple	ase p	rint or type. (Form desig			typewriter.)						n Approved.	OMB No.	2050-0039
1	L M	IFORM HAZARDOUS VASTE MANIFEST		Number 80738546		2. Page 1 of		k 14 belov	4. Manifest	Tracking N			
	Gene	enerator's Name and Mailir Alaskan Coppet 3200 Sixth Avet Seattle, WA 98 erator's Phone: ansporter 1 Company Name	Works nue South 124		Phone: 206-382-8379		Generator's Site Ad		than mailing addre	ss)		. 3.	
		ansporter 2 Company Nam		Maryo Burte hir	15	£ 45g			U.S. EPA ID N	००५	<u> </u>	}	
		esignated Facility Name and World Resource 8113 West Sher	s Compan	Y	Phone:				U.S. EPAID N	Number 98073	S500	· · · · · · · · · · · · · · · · · · ·	
	Facil	Tolleson, AZ 85 ity's Phone:	303		(602) 233 916	16				MANAGE 6	re-creati		
	9a. HM		on (including Prope	er Shipping Name	, Hazard Class, ID Number	г,	10. C No.	ontainers Type	11. Total Quantity	12. Unit Wt./Vol.	13. \	Waste Code	s
GENERATOR -	x	RQ, NA3077 (F006), 9, 11	, Hazardo	us waste,	solid, n.o.s.		155,0°	CF	01033	þ	F006		
- GENE		2. (10.40.4)					*	***************************************	4 41				
		3.	Villa Line Villa V									ur)	
		4.	rent.										
.													
		Pecial Handling Instructions 2 O, $^{\pm}$ $^{\prime}$					Č	all INFOT	NCY CO RAC at: 1- iny name *\	800-53	5-5053	so Can	n and
	15.	GENERATOR'S/OFFEROI marked and labeled/placard Exporter, I certify that the co I certify that the waste mining pator's/Offeror's Printed/Typ	R'S CERTIFICATION Led, and are in all contents of this con mization statemen ed Name	ON: I hereby dec respects in prope signment conform t identified in 40 (er condition for transport ac n to the terms of the attach CFR 262.27(a) (if I am a lar	cording to applic ed EPA Acknowl ge quantity gene	are fully and accurate able international and	ly described abovernational governa	ve by the proper shi mental regulations.	nning name	and are clas	sified, packa am the Prima	han
\downarrow		SCHELD	$\Lambda = T$	19 m 130	ý.	مين. سيرا	JAG	The state of the s	the second secon		1/6		1 1/
INTIL	16. In	ternational Shipments	e only).	o U.S.		Export from U		of entry/exit:				_ L	
œ	17. Tr	ansporter Acknowledgment	of Receipt of Mate	rials		~~~	Date	leaving 0.5	· · · · · · · · · · · · · · · · · · ·				
PORTE	Transp	porter 1 Printed/Typed Nam	6			Sign	nature				Mont	h Day	Year
TRANS	Trans	ansporter Acknowledgment porter 1 Printed/Typed Nam porter 2 Printed/Typed Nam	ie			Sigr	nature		ta 1		Mont	th Day	Year
\uparrow	16. Di	screpancy Discrepancy Indication Space			Туре		Residue		Partial Reje	ection	, "Г	Full Reje	ation.
							Manifest Refer	ence Number:	i argai rejo	·			Cuon
	18b. A	Aternate Facility (or Genera	lor)						U.S. EPA ID N	umber			
FA		y's Phone:									\$4 _{0.2}		
Ĭ.		ignature of Alternate Facilit	ing a Marian Language					, <i>'</i>			Mon	nth Day	Year
送		zardous Waste Report Mar	agement Method	Codes (i.e., code	es for hazardous waste trea	atment, disposal,	and recycling syster	ns)					
ıL	1.	H010		2.		3.			4.		1		
		signated Facility Owner or	Operator: Certifica	tion of receipt of	hazardous materials cover	ed by the manife	est except as noted in	Item 18a			** ******		
	Printed	d/Typed Name					ature				Mon	th Day	Year
PA	Form	8700-22 (Rev. 3-05) Pr	evious editions	are obsolete.						ENER	ATOR'S	INITIAL	COPY

The state of the s

U.S. EPA Form 8700-22

Read all instructions before completing this form.

- This form has been designed for use on a 12-pitch (elite) typewriter which is also compatible
 with standard computer printers; a firm point pen may also be used—press down hard.
- Federal regulations require generators and transporters of hazardous waste and owners or
 operators of hazardous waste treatment, storage, and disposal facilities to complete this form
 (EPA Form 8700–22) and, if necessary, the continuation sheet (EPA Form 8700–22A) for
 both inter- and intrastate transportation of hazardous waste.

Public reporting burden for this collection of information is estimated to average: 30 minutes for generators, 10 minutes for transporters, and 25 minutes for owners or operators of treatment, storage, and disposal facilities. This includes time for reviewing instructions, gathering data, completing, reviewing and transmitting the form. Any correspondence regarding the PRA burden statement for the manifest must be sent to the Director of the Collection Strategies Division in EPA's Office of Information Collection at the following address: U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW., Washington, DC 20460. Do not send the completed form to this address.

I. Instructions for Generators

Item 1, Generator's U.S. EPA Identification Number

Enter the generator's U.S. EPA twelve digit identification number, or the State generator identification number if the generator site does not have an EPA identification number.

Item 2. Page 1 of ___

Enter the total number of pages used to complete this Manifest (i.e., the first page (EPA Form 8700-22) plus the number of Continuation Sheets (EPA Form 8700-22A), if any).

Item 3. Emergency Response Phone Number

Enter a phone number for which emergency response information can be obtained in the event of an incident during transportation. The emergency response phone number must:

- Be the number of the generator or the number of an agency or organization who is capable
 of and accepts responsibility for providing detailed information about the shipment;
- 2. Reach a phone that is monitored 24 hours a day at all times the waste is in transportation (including transportation related storage); and
- 3. Reach someone who is either knowledgeable of the hazardous waste being shipped and has comprehensive emergency response and spill cleanup/incident mitigation information for the material being shipped or has immediate access to a person who has that knowledge and information about the shipment.

Note: Emergency Response phone number information should only be entered in Item 3 when there is one phone number that applies to all the waste materials described in Item 9b. If a situation (e.g., consolidated shipments) arises where more than one Emergency Response phone number applies to the various wastes listed on the manifest, the phone numbers associated with each specific material should be entered after its description in Item 9b.

Item 4. Manifest Tracking Number

This unique tracking number must be pre-printed on the manifest by the forms printer.

Item 5. Generator's Mailing Address, Phone Number and Site Address

Enter the name of the generator, the mailing address to which the completed manifest signed by the designated facility should be mailed, and the generator's telephone number. Note, the telephone number (including area code) should be the normal business number for the generator, or the number where the generator or his authorized agent may be reached to provide instructions in the event the designated and/or alternate (if any) facility rejects some or all of the shipment. Also enter the physical site address from which the shipment originates only if this address is different than the mailing address.

Item 6. Transporter 1 Company Name; and U.S. EPA ID Number

Enter the company name and U.S. EPA ID number of the first transporter who will transport the waste. Vehicle or driver information may not be entered here.

Item 7. Transporter 2 Company Name and U.S. EPA ID Number

If applicable, enter the company name and U.S. EPA ID number of the second transporter who will transport the waste. Vehicle or driver information may not be entered here.

If more than two transporters are needed, use a Continuation Sheet(s) (EPA Form 8700-22A).

Item 8. Designated Facility Name, Site Address, and U.S. EPA ID Number

Enter the company name and site address of the facility designated to receive the waste listed on this manifest. Also enter the facility's phone number and the U.S. EPA twelve digit identification number of the facility.

Item 9. U.S. DOT Description (Including Proper Shipping Name, Hazard Class or Division, Identification Number, and Packing Group)

Item 9a. If the wastes identified in Item 9b consist of both hazardous and nonhazardous materials, then identify the hazardous materials by entering an "X" in this Item next to the corresponding hazardous material identified in Item 9b.

Item 9b. Enter the U.S. DOT Proper Shipping Name, Hazard Class or Division, Identification Number (UN/NA) and Packing Group for each waste as identified in 49 CFR 172. Include technical name(s) and reportable quantity references, if applicable.

Note: If additional space is needed for waste descriptions, enter these additional descriptions in Item 27 on the Continuation Sheet (EPA Form 8700-22A). Also, if more than one Emergency Response phone number applies to the various wastes described in either Item 9b or Item 27, enter applicable Emergency Response phone numbers immediately following the shipping descriptions for those Items.

Item 10. Containers (Number and Type)

Enter the number of containers for each waste and the appropriate abbreviation from Table I (below) for the type of container.

TABLE I.-TYPES OF CONTAINERS

BA = Burlap, cloth, paper, or plastic bags.

CF = Fiber or plastic boxes, cartons, cases. CM = Metal boxes, cartons, cases (including

roll-offs).

CW = Wooden boxes, cartons, cases.

CY = Cylinders.

DF = Fiberboard or plastic drums, barrels, kegs. DM = Metal drums, barrels, kegs. DT = Dump truck.

DW = Wooden drums, barrels, kegs. HG = Hopper or gondola cars.

TC = Tank cars.

TP = Portable tanks.

TT = Cargo tanks (tank trucks).

Item 11. Total Quantity

Enter, in designated boxes, the total quantity of waste. Round partial units to the nearest whole unit, and *do not* enter decimals or fractions. To the extent practical, report quantities using appropriate units of measure that will allow you to report quantities with precision. Waste quantities entered should be based on actual measurements or reasonably accurate estimates of actual quantities shipped. Container capacities are not acceptable as estimates.

Item 12. Units of Measure (Weight/Volume)

Enter, in designated boxes, the appropriate abbreviation from Table II (below) for the unit of measure.

TABLE II -- UNITS OF MEASURE

G = Gallons (liquids only).

N = Cubic Meters

K = Kilograms.

P = Pounds.

L = Liters (liquids only).

T = Tons (2000 Pounds).

M = Metric Tons (1000 kilograms).

Y = Cubic Yards.

Note: Tons, Metric Tons, Cubic Meters, and Cubic Yards should only be reported in connection with very large bulk shipments, such as rail cars, tank trucks, or barges.

Item 13. Waste Codes

Enter up to six federal and state waste codes to describe each waste stream identified in Item 9b. State waste codes that are not redundant with federal codes must be entered here, in addition to the federal waste codes which are most representative of the properties of the waste

Item 14. Special Handling Instructions and Additional Information

- 1. Generators may enter any special handling or shipment-specific information necessary for the proper management or tracking of the materials under the generator's or other handler's business processes, such as waste profile numbers, container codes, bar codes, or response guide numbers. Generators also may use this space to enter additional descriptive information about their shipped materials, such as chemical names, constituent percentages, physical state, or specific gravity of wastes identified with volume units in Item 12
- 2. This space may be used to record limited types of federally required information for which there is no specific space provided on the manifest, including any alternate facility designations; the manifest tracking number of the original manifest for rejected wastes and residues that are re-shipped under a second manifest; and the specification of PCB waste descriptions and PCB out-of-service dates required under 40 CFR 761.207. Generators, however, cannot be required to enter information in this space to meet state regulatory requirements.

Item 15. Generator's/Offeror's Certifications

- 1. The generator must read, sign, and date the waste minimization certification statement. In signing the waste minimization certification statement, those generators who have not been exempted by statute or regulation from the duty to make a waste minimization certification under section 3002(b) of RCRA are also certifying that they have complied with the waste minimization requirements. The Generator's Certification also contains the required attestation that the shipment has been properly prepared and is in proper condition for transportation (the shipper's certification). The content of the shipper's certification statement is as follows: "I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent." When a party other than the generator prepares the shipment for transportation, this party may also sign the shipper's certification statement as the offeror of the shipment.
- Generator or Offeror personnel may preprint the words, "On behalf of" in the signature block or may hand write this statement in the signature block prior to signing the generator/offeror certification, to indicate that the individual signs as the employee or agent of the named principal.

Note: All of the above information except the handwritten signature required in Item 15 may be pre-printed.



TO:

WORLD RESOURCES COMPANY ARIZONA RECYCLING FACILITY

World Resources Company 8113 West Sherman Street

Tolleson, AZ 85353

In partnership with the environment

LDRN LAND DISPOSAL RESTRICTION NOTICE

A copy of this Notice must be retained by the generator for at least three (3) years pursuant to U.S. EPA regulations, 40 CFR §268.7(a)(8). Moreover, the generator should check the hazardous-waste regulations of its own state, because if there is a state analogue to the federal regulation, it may require longer retention time, such as five (5) years. It should also be noted that the federal regulation (and, typically, a state analogue as well) requires the retention period to be extended in specified cases.

FROM:	Alaskan Copper Works
	(Company Name)
	3200 Sixth Avenue South, Seattle, WA 98124
	(Address)
	206-382-8379
	(Phone)
Manifest Number:	
Date of Shipment:	12-15-11

This shipment of material is subject to the land disposal restrictions of 40 CFR Part 268. The applicable Land Disposal Restriction Information is provided in accordance with 40 CFR §268.7(a)(2) and is shown below:

EPA Material Number	Treatability Group	CFR Reference for Treatment Standards			
F006	Non-wastewater	40 CFR §268.40			
	(Signature) Con	psav			
		ted Name)			
	Enviro. Asso				
		(Title)			

PAF: rek/Facility Forms Manual/Transportation-072 AZF: AZF010//F18

Date: 6/14/2011, Revision: Original

Copyright 2006 World Resources Company

Material Safety Data Sheet

MSDS ID # AZ-10-G

F006 Recyclable Material (Filter Cake)

Recycler:

World Resources Company 8113 West Sherman Street

Tolleson, AZ 85353

Tel: (602) 233 9166 Fax: (623) 936 9164

January 2011 DLS

Call INFOTRAC only in the event of emergencies during shipping that

involve a spill, leak, fire or accident

(all calls are recorded)

For Emergencies During Shipping in the US or Canada, Day or Night,

Call: INFOTRAC 800-535-5053

Use Company Name: "World Resources Company" From other countries call: 001-352-323-3500

Material Identification

Section 1

EPA Waste Classification:

Electroplating/Metal-Finishing Wastewater Treatment Sludge

Generic Name: Chemical Family:

Metallic (Hydroxide) Precipitates

Synonym: Non-ferrous Metal Hydroxide Filter Cake

DOT Shipping Name:

RQ, Hazardous waste solid, n.o.s. (F006)

DOT Hazard Class:

DOT Packing Group: Ш

DOT Identification Number:

NA 3077

Guide 171 of the North American Emergency Response Guidebook Applies

Section 2				Hazardous Ingredients
Ingredient:	CAS Number:	Content (%):	OSHA PEL (8hr TWA):	Toxicology (rat, oral):
Copper Hydroxide	20427-59-2	0 - 30	1.0 mg(Cu)/m ³ (Dust)	LD-50 1,000 mg/kg
Nickel Hydroxide	12054-48-7	0 – 15	1.0 mg(Ni)/m ³ (Dust)	LD-50 1 500 mg/kg

1,500 mg/kg Calcium Hydroxide 1305-62-0 5.0 mg/m³ 0 - 15(Dust) LD-50 7,340 mg/kg Diatomite 61790-53-2 0 - 105.0 mg/m³ (Dust) LD-50 Not Determined

Section 3

Description:

Solid, Clay-like, Gray/Green

to Brown, Moisture ~ 30 - 80%

Specific Gravity: 2.5 to 3.5 Solubility: Insoluble in Water Density:

50 - 90 lbs/ft3

Incompatible Reactivity:

Vapor Pressure: Stability: Avoid Contact with Acids

Insignificant

Physical and Reactivity Data

Boiling Point: Above 2,600°C **Melting Point:** Above 1,800°C

pH: 7.0 to 10.0 Polymerization:

Odor: Will Not Occur

Fire and Explosion Data

Section 4 Flashpoint:

Nonflammable

Special Firefighting Procedures: Decomposition (Due to Fire or Explosion):

None

Oxidation: Non-oxidizing Explosive:

Non-explosive

NFPA Fire Diamond



Section 5

Listed Carcinogen Components:

Nickel

Toxicology:

See Sec. 2

None Known

Route of Entry:

Toxicity

Section 6

Inhalation, Ingestion

Inhalation:

Health Effects and First Aid Dust may irritate mucous membranes and upper respiratory tract. Remove to fresh air and treat symptoms

Ingestion: Rare in industry. Induce vomiting (do not induce vomiting or give a liquid to an unconscious person) and call a physician. Dust may irritate eyes. Wash with copious amounts of water for 15 minutes, if effects persist, call a physician. Eves:

Dust may irritate skin with prolonged contact. Wash with soap and water. Skin: Comments:

Special attention should be given to employees with anemia, restricted respiratory abilities, lung cancer, permanent kidney damage and metal-sensitive skin or skin lesions. Unprotected long-term overexposure may cause effects to the following target organs or body

systems - blood, digestive, respiratory, liver, kidneys and skin.

Section 7

Precautions for Safe Handling

Generator's Verification

Handling:

Good personal and industrial hygiene should always be practiced. It is recommended that personal protective equipment (PPE) be used by personnel who will come in contact with this material. The PPE should include eye protection, respirator and gloves.

Storage:

Keep covered and avoid conditions where wind could cause dispersal. Do not eat, drink or smoke where material is handled to avoid inhalation or ingestion. Store in a dry area under cover to protect from rain.

Spills: Use cleaning procedures that avoid creating excessive dust. Vacuum when possible. Package material and ship to consignee or return to World Resources Company at the above address.

Section 8 **Control Measures** Respiratory Protection: NIOSH-MSHA approved respirators as required. Eye Protection:

Other Protective Equipment:

Coveralls are recommended, but not required.

Hand Protection:

Safety glasses recommended. Gloves recommended.

Section 9 This MSDS describes the material listed in the attached Manifest #:

Company Name: Alaskan Copper Works

3200 Sixth Avenue South, Seattle, WA 98124

Telephone:

Company Address:

206-382-8379

Date: 12-15-11

Signature:



GENERAL INTERNAL PURCHASE REQUISITION

ITEM NO.	ACCT. NO.	QUAN- TITY	UNIT	DESCRIPT	TION & PART NUMBERS		UNIT PRICE	TOTAL LINE
7	6-680	1	Cor	TRANSPORTS	tion = Recyc	10		
				2 20	ation = Recyc		***	
	s .		* * * .		3		3	
	1,111	**						
	*.	Na a sa sa sa	11 : 1				:	
							2.2	N. A. A.
		\ .					v -	
	. '1						1	25 - 27
X		. 12.0		200 March			·	4 7 7
: 1			, ¹ 8 .				. :	
. 7. 1	¥.							
		The bit of				N + N, N		
	X, 2		V V					
						1.1.1.7.1.		* * * * * * * * * * * * * * * * * * * *

	A. A.	1			A TO THE PERSON OF THE PERSON	Name of the state		4, 4
			:					
REQUE	STED/BY	<u> </u>		DATE	APPROVED BY)	DATE	
				12/15/11	6		1.	12/15/11
	IERE FOR RET	\sim		Sludes	TO BE FILLED IN BY PURCHASIA	G DEPT.	20150	
_PURPO	SE OR USE	160/c		2/ - CS - C /	P.O. NUMBER		013	
DELIVE	RY NEEDED B	v /4-	<u>/5 - //</u>		VENDOR //O//A /	1500	11000	
SHIP TO	ADDRESS	628	5.	Han End 50	CONTACT	TELEPHO NO.	DNE	
SUGGES VENDOR		n/L	Fesa	urces Co	DELIVERY PROMISED	SHIP VIA		



GENERAL INTERNAL PURCHASE REQUISITION

EM IO.	ACCT. NO.	QUAN- TITY	UNIT	DESCRIPTIO	ON & PART NUMBERS	UNIT PRICE	TOTAL LINE ITEM PRICE
	6-680		Cor	TRANSporte	tion = Recycl-		
	0 000			of Fook	tion ? Recycles		
				(3 1		
		No.					
							The state of the s
				ade Colores and State and			
	- No 1						
	100						
			 				
	100000 Miles		1000				
			1				DATE
REC	UESTED BY			DATE / / / / / / / / / / / / / / / / / / /	APPROVED BY		12/15/1
Ŕ	HERE FOR F	RETURN OF	ELLOW C		TO BE FILLED IN BY PURCHASI	NG DEPT.	50
PUF	RPOSE OR USI	<u> </u>	/c/e_	Sludge	P.O. NUMBER	lesource	4 4)
DEI	IVERY NEEDE		<u> </u>		VENDOR // / - / - /	TELEPHONE	
SHI	PTO ADDRES	s 62	<i>y</i>	S. Hurbert 50		NO.	
	GESTED / IDOR 004 Rev. 7/96	10n/1	<u> 15</u>	esources Co	DELIVERY PROMISED	SHIP VIA	

12/13/2011

World Resources Company

Page 1 of 1

Sent To: Gerald Thompson

Company: Alaskan Copper Works

Address: 3200 Sixth Avenue South

Phone: 206-382-8379 Fax: 206-382-4309 FAME AND

From: Transportation department Company: World Resources Company

Address: 8113 W. Sherman St.

Tolleson, AZ 85353-4025

Phone: (800) 972-1955 Fax: (800) 286-6804

Fax in AZ: (623) 936-8102

Generator Notification

Take notice of the following information concerning the pickup of your material!

Carrier: Philip West Industrial Services, Inc.

Contact: Eddie Manier

Phone: 909 865-9046 EPA ID#: CAR000177527 Pickup Date: 12/16/2011

Quantity: 1 CF/BX

Est. Weight: 1276 lbs.

Have the following documents and material completed and available prior to the scheduled pick up.

- A. Completed Manifest.
- B. Land Disposal Restriction Notice (LDRN) retain the copies you may need for EPA or State environmental agency audits.
- C. Material Safety Data Sheet (MSDS) or a copy of the DOT Emergency Response Guide 171.
- D. INFOTRAC 24 hour Emergency Response Number (1-800-535-5053) in block #14 on the manifest.
- E. Material ready for shipping.

NOTE:

- 1. The company, named above, agrees to inform WRC in advance of any changes in its process that would render the Recyclable Material's description on the then-current profile sheet materially inaccurate or incomplete.
- 2. When shipping multiple waste streams from the same physical plant, on the same calendar date, in the same transport vehicle, please mark the top of the IBC with the appropriate symbol (i.e. A2, B2, B3, etc.) to indicate the waste stream. For bulk bins, indicate by marking the waste stream on the hazardous waste label.

Please direct any questions or concerns to the Transportation department (ext. 2205) at; (800) 972-1955.

As always... Thank you for your business!